

UNITED STATES DEPARTMENT OF COMMERCE

Patent and Trademark Offic

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

						MK
	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTO	OR		ATTORNEY DOCKET NO.
	09/500,919	02/09/00	GRZYLL		L	132/4238102
Γ	_		IM62/0619			EXAMINER
	Evenson McKeown Edwards		s & Lenahan PLLC		ANTHON	lΥ,J .
	1200 G Str	eet N W		. [ART UNIT	PAPER NUMBER
	Suite 700 Washington	DC 20005		_	1714	5
					DATE MAILED:	

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

06/19/00

	Application No. Applicant(s)							
Office Action Summary	09/300, 9/9 Examiner	Group Art Unit						
g,,,oo , totton camman,	Cxammo	1714						
0/-/	1 0/0/0=	1.7.7						
Responsive to communication(s) filed on $\frac{2/9/00}{2}$ $\frac{2}{6}$								
☐ This action is FINAL.								
☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.								
A shortened statutory period for response to this action is set to expire month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).								
Disposition of Claims Claim(s) 27-32	· i	is/are pending in the application.						
Of the above, claim(s)								
☐ Claim(s)								
☐ Claim(s) 27-32								
☐ Claim(s)								
☐ Claims								
Application Papers See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948. The drawing(s) filed on is/are objected to by the Examiner. The proposed drawing correction, filed on is approved								
 □ Acknowledgement is made of a claim for domestic Attachment(s) □ Notice of References Cited, PTO-892 ☑ Information Disclosure Statement(s), PTO-1449, Pa □ Interview Summary, PTO-413 □ Notice of Draftsperson's Patent Drawing Review, P □ Notice of Informal Patent Application, PTO-152 	per No(s) <u>2</u>	.C. 3 113(6).						
SEE OFFICE ACTION ON THE FOLLOWING PAGES								

U. S. Patent and Trademark Office PTO-326 (Rev. 9-95)

Page 2

Application/Control Number: 09/500,919

Art Unit: 1714

DETAILED ACTION

1. Claims 34-39 filed with preliminary amendment a, on 2/9/00, have been renumbered as claims 27-32 as requested by applicant in supplemental preliminary amendment b, filed 6/8/00, since no claims 27-33 were originally filed in the specification.

Information Disclosure Statement

2. Applicant is requested to submit a copy of their officially submitted (in parent application 08/895,687) English Language Translation of JP Patent Number 5-42230 published 23 Feb. 1993, as translated by, Rodger P. Lewis. This request is made since the parent application S.N. 08/895,687 contains the said English Language Translation of JP Patent Number 5-42230, but said parent application is at the Board Of Appeals and is thus not presently available to the examiner.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 27-29 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for a method of extinguishing a fire using a composition comprising at least one unsaturated perfluorocarbon compound having the formula C_xF_y , where x is 3 or 4 and y is 6

Art Unit: 1714

or 8 does not reasonably provide enablement for unsaturated perfluorocarbon compounds that have a formula other than the above said formula, see page 3, lines 16-21 of the specification.

The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 27-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP Patent

 Number 5-42230 published 23 Feb. 1993, as translated by, Rodger P. Lewis, in applicants'

 officially submitted English Language Translation of the said JP Patent, JP is taken in view of the

 Article entitled: "Construction Of An Exploratory List Of Chemicals To Initiate The Search

 For Halon Alternatives", to Pitts et al. (August 1990), and is further taken in view of Robin et

 al. U.S. Patent Number 5,117,917 and optionally in view (for all the claims) of applicants'

 admission, in the preliminary amendment and the Declaration filed under 37 CFR 1.132 on 10

Art Unit: 1714

Feb. 1998 in Parent Application S.N. 08/895,687, of the hazard ratings for octafluoro-2-butene and hexafluoropropene as published in literature such as Sax et al.

The English language Translation of JP Patent Number 05042230 directly discloses that effective non-ozone depleting fire-extinguishing agents can be selected from both saturated and unsaturated halogenated hydrocarbons. Saturated hydrocarbons containing 1 to 4 carbon atoms are directly disclosed. Given species of such saturated fluorinated hydrocarbons are tetrafluoromethane, heptafluoropropane, pentafluorocyclopropane and hexafluorocyclobutane. Unsaturated fluorinated hydrocarbons and unsaturated fluorinated carbons containing 3 or 4 carbon atoms having at least one fluorine atom bonded to the one double bond are also directly disclosed. Examples of such unsaturated fluorinated hydrocarbons and fluorinated carbons are hexafluoroisobutene, CH₂=C(CF₃)₂, (i.e. HFC-1336) and hexafluoropropene, CF₂=CFCF₃, (i.e. FC-216), see page 5-6, and Table 1 on page 8 of the English language translation. JP also directly teaches using admixtures of different fire extinguishing agents, see pages 6-7, and Tables 1-3. Finally, JP directly suggests the use of propellant gases, such as nitrogen gas and carbon dioxide, with the taught fire-extinguishing agents and/or mixtures, see page 7, section [0025].

JP differs from applicants' invention in the following ways: 1) JP does not directly disclose applicants' particularly claimed unsaturated perfluorinated carbon fire-extinguishing species of octafluoro-2-butene, 2) JP does not directly teach (i.e. by way of a specific example) a fire-extinguishing composition comprising an admixture of an unsaturated fluorinated

Art Unit: 1714

hydrocarbon or an unsaturated fluorinated carbon with conventional saturated fire-extinguishing agents, and 3) JP does not directly teach (i.e. by way of an example) applicants' particular claimed streaming method of use step.

Pitts et al. (i.e. Pitts) directly teaches hexafluoropropene, CF₂=CFCF₃, (i.e. perfluoropropene CASN 116-15-4), and octafluoro-2-butene (i.e. perfluorobutene-2 CASN 360-89-4) as potentially effective fire-extinguishing agents, see TABLE 7 on page 56 and the disclosure on page 133 wherein perfluorobutene-2 is assigned a low toxicity hazard rating of 1. Also note that on page 132 Pitts et al teaches that perfluoropropene has a far higher toxicity rating of 3.

Robin et al. (i.e. Robin) teaches fire-extinguishing methods utilizing saturated C_2 - C_4 perfluorocarbons as efficient non-ozone depleting fire extinguishing agents, used either alone or in combinations with other known fire extinguishing agents. Given examples of such compounds are octafluoropropane and decafluorobutane. The taught fire-extinguishing methods are total flooding and portable systems that may use inert gases as pressurizing agents, see the abstract, and column 2, line 1 to column 3, line 5.

Applicants' admission, in the preliminary amendment and the Declaration filed under 37 CFR 1.132 on 10 Feb. 1998 in Parent Application S.N. 08/895,687, of the hazard ratings for octafluoro-2-butene and hexafluoropropene as published in literature such as Sax et al is noted. In this said admission, applicants reveal that the 4-hour LC₅₀ for hexafluoropropene is 1673 ppm for rats, and the 4-hour LC₅₀ for octafluoro-2-butene is 6100 ppm for rats. As such, the 4-hour LC₅₀

Page 6

Application/Control Number: 09/500,919

Art Unit: 1714

for hexafluoropropene is at least 4.28 times more toxic than the 4-hour LC₅₀ is for octafluoro-2-

butene.

It would have been obvious to one having ordinary skill in the art to use the disclosure of the JP especially in view of Pitts et al's disclosure to the potentially effective use of perfluorobutene-2 (i.e octafluoro-2-butene CASN 360-89-4) as a fire-extinguishing agents, see TABLE 7 on page 56 and page 133, as motivation to actually use applicants' claimed unsaturated perfluorinated carbon species of octafluoro-2-butene as the fire-extinguishing agent of choice. This is obvious because octafluoro-2-butene is not only an obvious species that falls within a very narrow generic disclosure of JP to the use of unsaturated fluorinated hydrocarbons and unsaturated fluorinated carbons containing 3 or 4 carbon atoms having at least one fluorine atom bonded to the one double bond, but is directly suggested by the secondary reference to Pitts et al. Note that Pitts et al disclosure on page 133 that perfluorobutene-2 (i.e. octafluoro-2-butene) is assigned a low toxicity hazard rating of 1, whereas Pitts et al disclosure on page 132 that perfluoropropene (i.e. hexafluoropropene) has a far higher toxicity rating of 3 is motivation to one having ordinary skill in the art to substitute perfluorobutene-2 (i.e. octafluoro-2-butene) for JP's directly taught hexafluoropropene (i.e. perfluoropropene) since such as substitution would result in a fire extinguishing composition that is far less toxic! Furthermore, applicants' claimed octafluoro-2-butene is also deemed to be an obvious analog over JP's directly taught species of hexafluoroisobutene, CH₂=C(CF₃)_{2,} (i.e. HFC-1336) and hexafluoropropene, CF_2 = $CFCF_3$, (i.e. FC-216) = (i.e. perfluoropropene) respectfully.

Art Unit: 1714

Furthermore, additional motivation is present to one having ordinary skill in the art to use octafluoro-2-butene as the fire extinguishing agent of choice. Such additional motivation is provided by applicants' admission, in the preliminary amendment and the Declaration filed under 37 CFR 1.132, that the published literature discloses that the 4-hour LC₅₀ for hexafluoropropene is 1673 ppm for rats, and the 4-hour LC₅₀ for octafluoro-2-butene is 6100 ppm for rats. As such, the 4-hour LC₅₀ for hexafluoropropene is at least 4.28 times more toxic than the 4-hour LC₅₀ is for octafluoro-2-butene. From such data, one having ordinary skill in the art would be strongly motivated to choose octafluoro-2-butene over hexafluoropropene since octafluoro-2-butene is far less toxic and would thus be safer when used around human beings.

It would also have been obvious to one having ordinary skill in the art to use the disclosure of JP as motivation to make admixtures of unsaturated perfluorinated carbons, such as applicants' claimed octafluoro-2-butene fire-extinguishing agent, with conventional fireextinguishing agents, such as octafluoropropane, because admixtures of the unsaturated perfluorinated species of hexafluoropropene(FC-216) with conventional fire-extinguishing agents, such as octafluoropropane, are directly suggested by JP, see sections [0015] and [0016] on page 6 of the English language translation of the JP reference. Furthermore, the Robin patent provides additional motivation for such admixtures, since Robin teaches that using admixtures of conventional fire-extinguishing agents are well known in the art.

Furthermore, applicants' particularly claimed methods of fire extinguishing are deemed to be well within the skill of the ordinary artisan. Such methods are deemed to be obvious design

Art Unit: 1714

modifications used to meet particular needs and/or requirements. In any case, the secondary reference to Robin et al. clearly discloses that applicant's two claimed fire extinguishing methods of: 1) total flooding of enclosed regions, and 2) the use of portable systems (e.g. streaming) using insert gasses as pressurizing agents, are extremely well known fire extinguishing methods.

Furthermore, the primary JP reference itself directly suggests the use of propellant gases, such as nitrogen gas and carbon dioxide, with the taught fire-extinguishing agents and/or mixtures, see page 7, section [0025]. The use of such propellant gases is well known in the art to be used in conjunction with portable systems that are applied to the fire as a stream. Finally, the JP reference's cup burner test are deemed to encompass applicant's claimed total flooding method of enclosed space. Thus to use applicant's claimed methods with applicants' claimed octafluoro-2-butene, fire-extinguishing agent either alone or in blends would have been obvious.

Double Patenting

7. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321© may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Art Unit: 1714

Claims 27-32 are provisionally rejected under the judicially created doctrine of 8. obviousness-type double patenting as being unpatentable over claims 8-13 and 27-33 of copending Application No. 08/895,687. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 8-13 and 27-33 of copending application S. N. 08/895,687 are deemed to extensively overlap the subject matter of claims 27-32 of the present application S. N. 09/500,919.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to Arguments

The following examiner comments are taken from the Examiner's Answer written in 9. response to applicant's Appeal Brief found in the Parent Application S.N 08/895,687. These examiner comments are repeated here because they are deemed to be highly relevant to applicant's pending claims.

The examiner's position in regards to appellant's argument, found on pages 9-10 of the Brief, concerning their Supplemental 37 CFR 1.132 Declaration filed 03 November 1998 is found below. The following examiner's comments were made in the final rejection mailed 12/10/98 as paper number 10 and are repeated here because they address two additional 37 CFR 1.132 Declarations that were filed by appellant's during the prosecution of the pending application.

Art Unit: 1714

Applicant's 37 CFR 1.132 Declaration filed 10/13/98 (e.g. 13 Oct. 1998), applicant's Supplemental Response filed 11/3/98 (e.g. 03 November 1998) and Supplemental 37 CFR 1.132 Declaration filed 11/3/98 (e.g. 03 November 1998), have all been fully considered but are not deemed persuasive to put the case in condition for allowance for the reason given above. Additional comments are found below.

Applicant's <u>Supplemental 37 CFR 1.132 Declaration filed on 11/3/98</u> (e.g. 03

November 1998) is deemed, by the examiner, to show that the cup burner flame extinguishing concentration (i.e. FEC) for applicant's claimed fire-extinguishing species of octafluoro-2-butene is indeed less (average FEC of 4.7 with a Std. Deviation of 0.447214) and hence is superior to the (FEC) amount for JP's hexafluoropropene, (i.e. CF₂=CFCF₃) (FEC of 6.1 Std. Dev. 0.447338) fire extinguishing agent. Nevertheless, such results are not deemed to be unexpected.

It would have been expected by one having ordinary skill in the art that octafluoro-2-butene because of its higher molecular weight would be required in a smaller concentration amount to extinguish a fire than hexafluoropropene because of octafluoro-2-butene greater known heat capacity, see Pitts et al's TABLE 7 on page 56 wherein the heat capacity of octafluoro-2-butene and hexafluoropropene are listed. Furthermore, Robin et al. U.S. Patent Number 5,117,917 teaches that flame extinguishing concentrations for the saturated analogs of octafluoro-2-butene and hexafluoropropene show a similar decrease in the flame extinguishing concentrations necessary to extinguish an n-heptane diffusion flame when using perfluorobutane

Art Unit: 1714

as compared to using perfluoropropane, see Example 1 Table 1 of Robin et al.. Also note that the Example 1 shows that perfluoroethane requires a greater flame extinguishing concentration then either perfluorobutane or perfluoropropane. As such, one having ordinary skill in the art would expect that the corresponding unsaturated perfluoralkenes would exhibit similar extinguishing behavior, namely the higher molecular weight perfluoroalkenes would be required in a lesser amount to extinguish the n-heptane diffusion flame then the lower molecular weight perfluoroalkenes. As such, applicants' showing is not deemed to be unexpected.

Finally, applicant's 37 CFR 1.132 Declaration filed 10/13/98 has been careful considered but is not deemed to be helpful at establishing either unexpected and/or superior results for applicant's claimed invention. The said Declaration compared applicant's claimed species of fire extinguishing agent octafluoro-2-butene against fluorinated ether type fire extinguishing agents in regards to a Cup Burner Test (FEC) and a Streaming Test known as the Minimum Application Density Test. The comparative showing is basically deemed to be irrelevant because it does not use the closest prior-art which is deemed to be the above applied prior-art to JP that teaches the use of hexafluoropropene as a fire extinguishing agent. It is axiomatic that an applicant relying on comparative tests to rebut a *prima facia* case of obviousness must compare the claimed invention, or at least the disclosed invention which is commensurate in scope with the claimed invention, to the closest prior-art, see In Re Johnson, 203 USPQ 1260, and In Re Merchant, 575 F.2d 865, 197 USPQ 785 (CCPA 1978)".

Page 12

Application/Control Number: 09/500,919

Art Unit: 1714

Prior-Art Cited But Not Applied

10. Any prior-art reference which is cited on FORM PTO-892 but not applied, is cited only to

show the general state of the prior-art at the time of applicant's invention.

Examiner Information

11.. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Examiner Joseph D. Anthony whose telephone number is (703) 308-0446.

This examiner can normally be reached on Monday through Thursday from 7:35 a.m. to 6:00 p.m.

in the eastern time zone. If attempts to reach the examiner are unsuccessful, the examiner's

supervisor, Vasu Jagannathan, can be reached on (703) 306-2777. The group FAX machine

number is (703) 305-5408. The group FAX machine number for After Final Faxes is (703) 305-

3599. Unofficial correspondence transmitted by FAX must be marked "DRAFT". All other

papers received by FAX will be treated as Official communications and cannot be immediately

handled by the Examiner. Any inquiry of a general nature or relating to the status of this

application should be directed to the receptionist whose telephone number is (703) 308-0651. The

receptionist is located on the 8th floor of Crystal Plaza 3 (e.g. CP-3) and will be the welcome point

for all visitors to the building.

Joseph D. Anthony
Primary Patent Examiner

Art Unit 1714

6/18/00